



PLIDCO® TAP+ENCLOSURE**Used to Permanently Encapsulate Leaks**

Domed Split Bolt-On



Domed Weld-On



Domed Split Weld-On

The PLIDCO® Tap+Enclosure is available in three styles: Domed Split Bolt-On; Domed Weld-On; Domed Split Weld-On. The Tap+Enclosures are designed to cover illegal/legal tapping equipment. Once the Tap+Enclosure is welded to the pipeline, the tap is permanently encapsulated. The enclosures are designed to the following codes: ASME Section VIII div. 1&2 - API 6H - ASME B31.4; B31.8; B31.3. Fittings are custom designed based on temperature, pressure and size needed for the application.

Viton packing is standard on the Split Bolt-On style.

Buna-N, Silicone, Kevlar and other materials are available upon request.

Standard body materials:

- SA-A516 Gr. 70 steel plate
- SA-A234 Gr. WPB
- SA-350 LF2 Cl1
- SA-352-LCC

Standard bolting is:

- SA-A193 Gr. B7 with A194 Gr. 2H nuts

Options:

- Vents to allow sealant injection & pressure release
- Marine epoxy paint for corrosion protection
- NACE MR0175 / ISO 15156 compliant materials

Applications:

- Leaking valves
- Pig signalers
- Leaking ancillary equipment

